

**THE EFFECTS AND MECHANISMS OF THERAPEUTIC
HYPOTHERMIA ON INTRACRANIAL PRESSURE REGULATION
FOLLOWING ISCHAEMIC STROKE IN RATS**

Lucy Anne Murtha

BBiomedSci (Hons)



Thesis by publication submitted for the degree of
Doctor of Philosophy (Human Physiology)
School of Biomedical Sciences and Pharmacy
Faculty of Health and Medicine
University of Newcastle

September, 2014

I, Lucy Murtha, hereby declare that this thesis contains no material which has been accepted for the award of any other degree or diploma in any university or other tertiary institution and, to the best of my knowledge and belief, contains no material previously published or written by another person, except where due reference has been made in the text. I give consent to the final version of my thesis being made available worldwide when deposited in the University's Digital Repository, subject to the provisions of the Copyright Act 1968.

I hereby certify that the work embodied in this thesis has been done in collaboration with other researchers, or carried out in other institutions. I have included as part of my thesis a statement clearly outlining the extent of collaboration, with whom and under what auspices.

I hereby certify that this thesis is submitted in the form of a series of published papers of which I am a joint author. I have included as part of the thesis a written statement from each co-author, endorsed by the Faculty Assistant Dean (Research Training), attesting to my contribution to the joint publications.

Lucy Murtha

September, 2014

ACKNOWLEDGEMENTS

I would like to thank my supervisors Dr. Neil Spratt and Dr. Damian McLeod. I thank Neil for his invaluable support and wealth of medical and physiological knowledge. His dedication and passion for his work is to be truly admired. I thank him for his tireless efforts to constantly improve this project with fantastic ideas. Damian's knowledge and enthusiasm for science is truly inspiring and I sincerely thank him for his support and encouragement. Damian's help throughout this candidature could not be more greatly appreciated. To the Spratt Lab Team: I thank you all for keeping me sane, and for your continuous and immeasurable help and support. I thank you for all the laughs, the 'interesting' lunch time discussions and for helping me procrastinate so well! This project would not have been possible without you!!

I would sincerely like to thank Prof. Mhairi Macrae for allowing me to study with her in Scotland and for all her invaluable ideas and support. I would also like to thank all involved in making the Scottish component of this thesis a success, in particular Lindsay Gallagher, Chris McCabe, William Holmes and Jim Mullin for all their help. Special thanks must go to the men in the University of Newcastle workshop. This thesis would not have been possible without their creative genius. I also thank Emlyn and Jennie Thomas for the generous scholarship, hugs and lovely family morning teas!!

Finally I would like to thank my friends, family and the wonderful Ben Burton for their unwavering support throughout this ambitious project. You all helped to make these years as stress-free as possible and it is truly appreciated!

PUBLICATIONS INCLUDED IN THIS THESIS

Publication 1

Murtha L, McLeod D, Spratt N. Epidural intracranial pressure measurement in rats using a fiber-optic pressure transducer. *J Vis Exp*. e3689, doi:10.3791/3689. (2012).

Publication 2

Murtha L, McLeod D, McCann S, Pepperall D, Chung S, Levi C, Calford M, Spratt N. Short-duration hypothermia after ischemic stroke prevents delayed intracranial pressure rise. *Int J Stroke*. 9, 553-559, doi:10.1111/ijis.12181. (2014).

Publication 3

Murtha L, McLeod D, Beard D, Pepperall D, McCann S, Tomkins A, Holmes W, McCabe C, Macrae I.M, Spratt N. Intracranial pressure elevation following ischemic stroke in rats: Cerebral edema is not the only cause, and short-duration mild hypothermia is a highly effective preventive therapy. Submitted to *JCBFM* - Awaiting Review. (2014).

Publication 4

Beard D, McLeod D, Logan C, **Murtha L**, Imtiaz M, van Helden D, Spratt N. Intracranial pressure elevation reduced flow through collateral vessels and the penetrating arterioles they supply. A possible explanation for 'Collateral Failure' in Stroke-in-Progression. Submitted to *JCBFM* - Awaiting Review. (2014).

PUBLICATIONS INCLUDED IN THE APPENDIX OF THIS THESIS

Publication 5

Murtha L, Yang Q, Parsons M, Levi C, Beard D, Spratt N, McLeod D. Cerebrospinal fluid is drained primarily via the spinal canal and olfactory route in young and aged spontaneously hypertensive rats. *Fluids Barriers CNS*. 11:12, doi:10.1186/2045-8118-11-12. (2014).

Publication 6

McLeod D, Parsons M, Hood R, Hiles B, Allen J, McCann S, **Murtha L**, Calford M, Levi C, Spratt N. Perfusion computed tomography thresholds defining ischemic penumbra and infarct core: studies in a rat stroke model. *Int J Stroke*. doi: 10.1111/ijss.12147. (2013).
[E-Pub ahead of print]

CONFERENCE PUBLICATIONS AND PRESENTATIONS ARISING FROM THIS THESIS

Murtha L, McLeod D, Beard D, McCabe C, Holmes W, Macrae IM, Spratt N. Is cerebral oedema really the primary cause of intracranial pressure elevation following stroke? Conference: Seminar Series, School of Biomedical Sciences and Pharmacy. University of Newcastle, Australia, August 2014. (Oral Presentation)

Murtha L, McLeod D, Beard D, McCabe C, Holmes W, Macrae IM, Spratt N. Is cerebral oedema really the primary cause of intracranial pressure elevation following stroke? Conference: Australian Society for Medical Research NSW Conference. Sydney, Australia, June 2014. (Oral Presentation)

Beard D, McLeod D, **Murtha L**, Spratt N. Elevation of intracranial pressure reduces leptomeningeal collateral and watershed blood flow during experimental stroke. *Cerebrovasc Dis.* 37:1–4. DOI: 10.1159/000357550. Conference: European Stroke Society. Nice, France, May 2014. (Oral Presentation)

Murtha L, McLeod D, Beard D, Pepperall D, Spratt N. Short duration mild hypothermia prevents delayed intracranial pressure rise following experimental ischaemic stroke. *Cerebrovasc Dis.* 37:1–4. DOI: 10.1159/000357550. Conference: European Stroke Society. Nice, France, May 2014. (E-Poster Presentation)

McLeod D, **Murtha L**, Logan C, Beard D, Hood R, Pepperall D, Spratt N. Intracranial pressure elevation 24 hours after minor stroke is not caused by oedema and is triggered by factor(s) is cerebrospinal fluid. Conference: 8th International Symposium of Neuroprotection and Neurorepair. Magdeburg, Germany, March 2014. (Poster Presentation)

Murtha L, McLeod D, McCabe C, Holmes W, Macrae IM, Spratt N (2014). Is cerebral oedema really the primary cause of intracranial pressure elevation following stroke? Conference: 8th International Symposium of Neuroprotection and Neurorepair. Magdeburg, Germany, March 2014. (Poster Presentation)

Murtha L, McLeod D, Beard D, McCabe C, Holmes W, Macrae IM, Spratt N. Is cerebral oedema really the primary cause of intracranial pressure elevation following stroke? Conference: Australian Society for Medical Research Newcastle Conference. Newcastle, Australia, March 2014. (Oral Presentation)

Murtha L, McLeod D, McCabe C, Holmes W, Macrae IM, Spratt N (2014). Cerebral oedema: Not the primary cause of ICP elevation following ischaemic stroke. Conference: Australian Neuroscience Society Annual Meeting. Adelaide, Australia, January 2014. (Oral Presentation)

McLeod D, **Murtha L**, Bourke J, Pitsillides K. Biotelemetry of intracranial pressure in freely moving rats: a detailed description of surgical implantation for chronic studies. *FASEB Journal*. 27:700.11. Conference: Experimental Biology. Boston, USA, April 2013. (Poster Presentation)

Murtha L, McLeod D, Spratt N. Effects of short duration hypothermia on intracranial pressure following ischaemic stroke. Conference: 7th International Symposium on Neuroprotection and Neurorepair. Potsdam, Germany, May 2012. (Poster Presentation)

Tomkins A, **Murtha L**, McCann S, Pepperall D, Levi C, Spratt N. Thromboembolic stroke with site-specific delivery of platelet rich clots. Conference: 7th International Symposium on Neuroprotection and Neurorepair. Potsdam, Germany, May 2012. (Poster Presentation)

McLeod D, **Murtha L**, Pitsillides K. A new method of attaching a solid-state pressure sensor for measurement of chronic intracranial pressure in freely moving rats using biotelemetry. *FASEB Journal*. 26:1098.14. Conference: Experimental Biology. San Diego, USA, April 2012. (Poster Presentation)

Murtha L, McLeod D, Spratt N. The effects of therapeutic hypothermia on intracranial pressure after experimental ischaemic stroke. Conference: Australian Neuroscience Society Annual Meeting. Gold Coast, Australia, January 2012. (Poster Presentation)

Murtha L, McLeod D, Spratt N. The effects of therapeutic hypothermia on intracranial pressure after experimental ischaemic stroke in rats. Conference: Centre for Brain and Mental Health Conference. Newcastle, Australia, November 2011. (Oral Presentation)

Murtha L, McCann S, Pepperall D, McLeod D, Spratt N. Short duration hypothermia results in sustained prevention of intracranial pressure elevation following experimental stroke. *Int J Stroke*. 6(Suppl 1):31. Conference: 22nd Annual Scientific Meeting of the Stroke Society of Australasia. Adelaide, Australia, September 2011. (Oral Presentation)

WORK ARISING FROM COLLABORATIONS ASSOCIATED WITH THIS THESIS

Ariana Arulampalam. The fluid compartments of the brain after ischaemic stroke in rats and humans. School of Medicine and Public Health, Faculty of Health and Medicine, University of Newcastle; Bachelor of Medical Science, Honours; 2011

Rebecca Hood. The role of cerebrospinal fluid in intracranial pressure regulation after stroke. School of Biomedical Sciences and Pharmacy, Faculty of Health and Medicine, University of Newcastle; Bachelor of Biomedical Science, Honours; 2012

Julia Bourke. The effect of short-duration hypothermia on intracranial pressure after stroke in aged rats. School of Medicine and Public Health, Faculty of Health and Medicine, University of Newcastle; Bachelor of Medical Science, Honours; 2012

Caitlin Logan. The effects of cerebrospinal fluid factors on intracranial pressure regulation following ischaemic stroke. School of Biomedical Sciences and Pharmacy, Faculty of Health and Medicine, University of Newcastle; Bachelor of Biomedical Science, Honours; 2013

Jacqueline Montano. Investigating the effect of intracranial compliance on intracranial pressure rise in ischaemic and subarachnoid haemorrhage stroke. Department of Biomedicine, Karolinska Institute, Sweden; Bachelor of Medical Science Majoring in Biomedicine, Honours; 2014 (Co-supervisor)

AWARDS, SCHOLARSHIPS AND GRANTS ARISING FROM WORK ASSOCIATED WITH THIS THESIS

Awarded to Lucy Murtha

Best student oral presentation, ASMR Conference- Sydney: \$500; 2014. **Lucy Murtha.** *Is cerebral oedema really the primary cause of intracranial pressure elevation following stroke?*

Emlyn & Jennie Thomas Postgraduate Medical Research Scholarship: \$25,000; 2012. **Lucy Murtha.** *The effects and mechanisms of therapeutic hypothermia on intracranial pressure following ischaemic stroke.*

UoN School of Biomedical Sciences and Pharmacy top-up Scholarship: \$14,000; 2011.

Lucy Murtha. *The effects and mechanisms of therapeutic hypothermia on intracranial pressure regulation following ischaemic stroke in rats.*

Grants to Spratt Laboratory Based Largely on Work from this Thesis

National Stroke Foundation Research Grant: \$19,275; 2014. Damian McLeod, Neil Spratt. *Cooling the brain via the skin to prevent intracranial pressure elevation after stroke.*

University of Newcastle Near Miss Grant: \$10,000; 2014. Neil Spratt. *Effects of intracranial pressure on collateral blood flow after stroke: a new pathophysiological mechanism and potential therapy.*

John Hunter Charitable Trust Grant: \$20,218; 2013. Ferdinand Miteff, Neil Spratt, **Lucy Murtha**, Peter Stanwell. *Skin cooling to reduce intracranial pressure: a paradigm shift in understanding and therapy?*

National Stroke Foundation Research Grant: \$20,000; 2013. Damian McLeod, Neil Spratt. *Novel mechanisms of 'Stroke-in-Progression': Intracranial pressure elevation and collateral blood vessel failure after minor stroke.*

National Health and Medical Research Council: \$429,453; 2012. Neil Spratt. *Short duration hypothermia to prevent subsequent intracranial pressure rise.*

Hunter Medical Research Institute Research Grant: \$20,000; 2012. Damian McLeod, Neil Spratt, Mark Parsons, Christopher Levi. *Experimental brain imaging to investigate novel protective mechanisms of short duration body cooling after stroke.*

Hunter Medical Research Institute Research Grant: \$15,000; 2012. Neil Spratt. *Telemetry measurement of Intracranial Pressure in Stroke and Hypothermia.*

| TABLE OF CONTENTS | Page |
|---|-------------|
| <i>DECLARATION</i> | <i>i</i> |
| <i>ACKNOWLEDGEMENTS</i> | <i>ii</i> |
| <i>THESIS PUBLICATIONS</i> | <i>iii</i> |
| <i>APPENDIX PUBLICATIONS</i> | <i>iv</i> |
| <i>CONFERENCE PRESENTATIONS</i> | <i>v</i> |
| <i>COLLABORATIONS</i> | <i>viii</i> |
| <i>AWARDS, SCHOLARSHIPS & GRANTS</i> | <i>ix</i> |
| <i>ABSTRACT</i> | <i>1</i> |
| <i>CHAPTER 1: LITERATURE REVIEW</i> | <i>3</i> |
| <i>1.1 Introduction</i> | <i>3</i> |
| <i>1.2 Current Acute Stroke Therapies</i> | <i>4</i> |
| <i>1.3 Intracranial Pressure</i> | <i>6</i> |
| <i>1.3.1 Intracranial Pressure and Cerebral Oedema</i> | <i>7</i> |
| <i>1.3.2 Intracranial Pressure and Cerebrospinal Fluid</i> | <i>9</i> |
| <i>1.3.3 Intracranial Pressure and Cerebral Blood Volume</i> | <i>10</i> |
| <i>1.4 Leptomeningeal Collateral Vessels</i> | <i>11</i> |
| <i>1.5 Hypothermia</i> | <i>15</i> |
| <i>1.6 Hypothermia and Intracranial Pressure</i> | <i>19</i> |
| <i>1.7 Animal models of Stroke and ICP</i> | <i>20</i> |
| <i>1.8 Rationale</i> | <i>22</i> |
| <i>CHAPTER 2: RESEARCH AIMS AND HYPOTHESES</i> | <i>25</i> |
| <i>CHAPTER 3: PUBLICATION 1</i> | <i>26</i> |
| <i>3.1 Introduction</i> | <i>26</i> |
| <i>3.2 Contributions</i> | <i>28</i> |
| <i>3.3 Publication: Epidural ICP measurement methodology</i> | <i>29</i> |
| <i>CHAPTER 4: PUBLICATION 2</i> | <i>36</i> |
| <i>4.1 Introduction</i> | <i>36</i> |
| <i>4.2 Contributions</i> | <i>38</i> |
| <i>4.3 Publication: Hypothermia prevents ICP rise post-stroke</i> | <i>40</i> |

| | |
|---|------------|
| <i>CHAPTER 5: PUBLICATION 3</i> | <i>47</i> |
| <i>5.1 Introduction</i> | <i>47</i> |
| <i>5.2 Contributions</i> | <i>49</i> |
| <i>5.3 Publication: Oedema is not the cause of ICP rise post-stroke</i> | <i>51</i> |
| <i>CHAPTER 6: PUBLICATION 4</i> | <i>86</i> |
| <i>6.1 Introduction</i> | <i>86</i> |
| <i>6.2 Contributions</i> | <i>88</i> |
| <i>6.3 Publication: ICP rise reduces collateral blood flow</i> | <i>90</i> |
| <i>CHAPTER 7: DISCUSSION</i> | <i>127</i> |
| <i>CHAPTER 8: CONCLUSIONS</i> | <i>141</i> |
| <i>CHAPTER 9: REFERENCES</i> | <i>143</i> |
| <i>APPENDIX A: PUBLICATIONS</i> | <i>157</i> |
| <i>APPENDIX B: COPYRIGHT PERMISSIONS</i> | <i>175</i> |

ABSTRACT

Background: Intracranial pressure (ICP) rises to dangerous levels 2-5 days after large ischaemic stroke. ICP following small stroke is not routinely monitored, although animal data suggests ICP rises 24 hours following small experimental stroke. Cerebral oedema has been thought to be the primary cause for ICP elevation. This assumption may have arisen because ICP has only been monitored in patients with large infarct and oedema volumes. Since small ischaemic infarcts cause less cerebral swelling, ICP elevation may be the result of a different mechanism(s). Recent human imaging data indicates that patients deteriorating soon after minor stroke do so on the basis of cerebral collateral blood flow failure. Until now there has not been a plausible explanation for this 'collateral failure'. Long-duration hypothermia has been shown to lower ICP in patients. Long durations of cooling increase the risk of infection and rebound ICP during rewarming. Short-duration hypothermia has shown overwhelming efficacy in animal models of stroke but has not been tested in humans. I hypothesise: that ICP increases at 24 hours after small stroke; that this rise is not due to cerebral oedema; that ICP elevation reduces collateral blood flow; and that short-duration moderate or mild hypothermia prevents ICP elevation post-stroke.

Methods: An epidural ICP monitoring technique was developed. Experimental ischaemic stroke (middle cerebral artery occlusion) was performed in Long Evans, outbred Wistar and Sprague-Dawley rats and ICP was monitored. Infarct and oedema volumes were calculated using wet-dry weight calculations, histology or *in vivo* magnetic resonance imaging. Collateral blood flow was visualized using fluorescent microspheres through a closed cranial window and recorded using a high-speed

microscope-mounted recording camera. Short-duration moderate (32.5 °C) or mild (35 °C) hypothermia, or normothermia (37°C) was administered 1 hour post-stroke.

Results: Mean ICP was 9.1 ± 5.2 mmHg at baseline (pooled- all animals). ICP was significantly elevated 24 hours post-stroke in all normothermic animals (40.3 ± 16 mmHg, pooled normothermic animals, $p < 0.0001$ vs. baseline). Mean infarct volume was $22.6 \pm 17.5\%$ of contralateral hemisphere. Oedema volumes were small and were not correlated with ICP post-stroke ($r^2 = 0.09$, $p = 0.15$). There was a strong correlation between ICP elevation and collateral blood flow decrease ($r = -0.62$, $p < 0.0001$). Early intervention of short-duration hypothermia completely prevented ICP rise post-stroke (10.3 ± 6.5 mmHg, pooled hypothermic animals at 24 hours, $p < 0.0001$ vs. normothermic animals at 24 hours).

Conclusions: In this thesis, I have presented data that contradicts the accepted wisdom in several ways and has important implications for patients with stroke. It suggests that ICP could be elevated in patients with small stroke and that a factor other than oedema is the primary cause of this ICP elevation. The data also suggest that ICP elevation following stroke is the likely mechanism of collateral failure leading to neurological deterioration in stroke patients. Finally, I have demonstrated that short-duration hypothermia is an effective ICP preventative treatment following experimental stroke, and suggests that short-duration hypothermia clinical studies in humans is warranted. These findings suggest that a fundamental rethink of ICP regulation post-stroke is necessary and have potentially important and exciting implications for the future treatment of stroke and stroke-in-progression.